



## PHYSICAL EXAM / VACCINE SCHEDULE

AGE	IMMUNIZATION
Newborn	Hep B
2 months	(DTaP, IPV, Hep B), PCV-7, HIB, Rota
4 months	(DTaP, IPV, Hep B), PCV-7, HIB, Rota
6 months	(DTaP, IPV, Hep B), PCV-7, Rota
12 months	VZV*, Hep A
12-18 months	MMR, DTaP, HIB, PCV-7
18-23 months	Hep A
4-6 years	DTaP, IPV, MMR, VZV
Every 5 – 10 years thereafter	Td or Tdap
11-18 years	Tdap, MCV4 (2 <sup>nd</sup> MMR, VZV and Hep A if not already given)
11-26 years	HPV #1 (HPV#2 in 2 months and HPV#3 in six months after first HPV)

\*VZV (Varicella or Chicken Pox) is an immunization that can be given anytime after one year of age. If started after the 13<sup>th</sup> birthday, two shots are required, at least four weeks apart.

After six years of age, your child will need a check-up every one to two years, depending on sports or camp physical requirements. We will follow all children to ages 18-21, or as long as they are in school or college.

A second MMR is also required, if not already done at 5 years old, and dT boosters are required every 5-10 years.

Hep A	- Hepatitis A
Hep B	- Hepatitis B
DTaP	- Diphtheria, Tetanus, Acellular Pertussis
HIB	- Haemophilus <i>Influenza</i> B ( <i>Pedvax</i> )
IPV	- Inactivated Polio Vaccine
PCV-7	- Pneumococcal Vaccine – Seven Serotypes
MMR	- Mumps, Measles, Rubella
VZV	- Varicella Zoster Vaccine ( <i>Chicken Pox</i> )
Td	- Diphtheria, Tetanus
MCV4	- Meningococcal Vaccine
Tdap	- Adolescent preparation of Tetans, Diphtharia, Acellular Pertussis
DTaP, IPV, Hep B	- ( <i>Pediarix</i> )
HPV	- Human Papilloma Virus ( <i>Gardasil</i> )
Rota	- Rotavirus ( <i>Rotateq</i> )